


ITEM	PART NO.	DESCRIPTION	QPA
1	7511-9100	ASSEMBLY, VALVE BODY	1
2	7511-9140-07	ASSEMBLY, TAPPET, 0.7 mm TIP	1
	7511-9140-15	ASSEMBLY, TAPPET, 1.5 mm TIP	1
2A	9800-TT-TC-07	TAPPET, TUNGSTEN CARBIDE, 0.7 mm TIP	1
	9800-TT-TC-15	TAPPET, TUNGSTEN CARBIDE, 1.5 mm TIP	1
2B	3300-0632	TAPPET SPRING	1
2C	7511-0490	TAPPET BUSHING	1
3	9800-SEALKIT-FFKM	TAPPET SEAL, FFKM (QTY: 5)	1
4A	7511-9130	ASSEMBLY, FLUID MANIFOLD, LESS HEATER	1
4B	7511-9120	ASSEMBLY, FLUID MANIFOLD, HEATER	1
5	2800-0981	MOUNTING SCREW, FLUID MANIFOLD	2
6	7511-9160	ASSEMBLY, NOZZLE BUSHING, STAINLESS STEEL	1
6A	7511-0480	NOZZLE BUSHING, STAINLESS STEEL	1
6B	9800-ORINGKIT	O-RING, EPDM (QTY: 10)	1
7	9800-NI-TC-50	NOZZLE INSERT, TUNGSTEN CARBIDE, 50µm	1
	9800-NI-TC-70	NOZZLE INSERT, TUNGSTEN CARBIDE, 70µm	1
	9800-NI-TC-100	NOZZLE INSERT, TUNGSTEN CARBIDE, 100µm	1
	9800-NI-TC-120	NOZZLE INSERT, TUNGSTEN CARBIDE, 120µm	1
	9800-NI-TC-150	NOZZLE INSERT, TUNGSTEN CARBIDE, 150µm	1
	9800-NI-TC-200	NOZZLE INSERT, TUNGSTEN CARBIDE, 200µm	1
	9800-NI-TC-300	NOZZLE INSERT, TUNGSTEN CARBIDE, 300µm	1
	9800-NI-TC-400	NOZZLE INSERT, TUNGSTEN CARBIDE, 400µm	1
8	7511-0470	ADJUSTMENT NUT	1
9	7511-0180	LOCKING SCREW	1
10	7511-9180	ASSEMBLY, FLUID BOX ADAPTER W/LUER FITTING	1
10A	7511-0170	FLUID BOX ADAPTER	1
10B	9800-ORINGKIT	O-RING, EPDM	1
10C	TSD931-63	LUER FITTING	1
11	9800-SYRBRACKET	SYRINGE BRACKET	1
12	7511-0760	CABLE GUIDE	1



ITEM	PART NO.	DESCRIPTION	QPA
13	9800-ACABLE-5M	ACTUATOR CABLE, 5 m	1
14	9800-SCABLE-5M	SENSOR CABLE, 5 m	1
15	9800-HCABLE-5M	HEATER CABLE, 5 m	1
16	9800-ACABLE-AD	ADAPTER FOR ACTUATOR CABLE	1
17	9800-SCABLE-AD	ADAPTER FOR SENSOR CABLE	1

TS9800-SPG-20220222

**For Sales
and Support:**

Techcon Corporate Headquarters
10800 Valley View Street,
Cypress, California, 90630, USA

Tel: 1-714-799-9910 | **Fax:** 1-714-828-2001
E-mail: eorders@okinternational.com

Visit our website for more information and to contact the Techcon office nearest you. We have several offices worldwide that are ready to serve your needs.

techcon.com/contact-us

